







THE ABOVE SPECIFICATIONS ARE SATISFACTORY AND ARE HEREBY ACCEPTED. FORMPAK INC. IS AUTHORIZED TO COMPLETE THE FOLLOWING WORK LISTED ABOVE As Shown: ☐ As Noted: ☐	Signature: _____	Project # 20892	FormPak Inc. Meeting Your Materials Handling Needs Since 1968			
	Date: _____	Client Harp Renewables				
			Designed By Rob K	Drawing Name 2100-SS		
			Date 1/7/2021	FlexFlo 45		
		Checked _____	Size C	Scale 1:16	Drawing Number 006349	Revision
		Checked Date _____		Sheet 1 of 3		



THE ABOVE SPECIFICATIONS ARE SATISFACTORY AND ARE HEREBY ACCEPTED. FORMPAK INC. IS AUTHORIZED TO COMPLETE THE FOLLOWING WORK LISTED ABOVE

As Shown: ☐ As Noted: ☐

Signature: _____

Date: _____

Project # 20892

Client Harp Renewables

Designed By Rob K

Date 1/7/2021

Checked _____

Checked Date _____

FormPak Inc. Meeting Your Materials Handling Needs Since 1968			
Drawing Name		2100-SS FlexFlo 45	
Size	Scale	Drawing Number	Revision
C	Sheet 2 of 3	006349	

4	3		2	1	
ITEM	DESCRIPTION	MATERIAL	PART NUMBER	QTY	MASS
1	Frame, Lower, Forklift Pockets	Steel, Mild	000252	1	199.710 lbmass
2	BagPak 2100, Upper (Standard)	Steel, Mild	002120	1	123.558 lbmass
3	Bulk Bag Support_Left Hand Side	Steel, Mild	000086-L	1	47.820 lbmass
4	Bulk Bag Support_Right Hand Side	Steel, Mild	000086-R	1	47.820 lbmass
5	Stand Alone Mast Assembly	Steel, Mild	006350	1	410.936 lbmass
6	Mount Left	Steel, Mild	003279	1	19.068 lbmass
7	Mount Right	Steel, Mild	003277	1	19.068 lbmass
8	Support, Fill Head	Steel, Mild	000084	1	17.781 lbmass
9	Fill Head (4in 45 Deg Dust Port)	Stainless Steel, 304	10IN Inlet	1	33.131 lbmass

10	S45 Coupling HD	Stainless Steel, 304		2	3.430 lbmass
11	45 Deg Transition 8in outlet	Steel, Mild	003564	1	10.584 lbmass
12	FlexFlo-S40_DriveBox	Steel, Mild	001019	1	11.254 lbmass
13	Drive Box Cover	Stainless Steel	001017	1	4.369 lbmass
14	Drive Box Gasket	Rubber	001009	2	0.163 lbmass
15	3/8 Spacer For Inline Ratio Multplier	UHMW, White	001068	1	0.859 lbmass
16	S50 Mounting Plate	Stainless Steel, 304	001071	1	19.816 lbmass
17	s45 UHMW (Food Grade) Tube	UHMW, White	139-7/16 IN	1	11.476 lbmass
18	S45 Round Wire Auger	Stainless Steel, 304	186	1	29.696 lbmass
19	Adapter, Auger S45 Flat Wire	Stainless Steel, 304	001072	1	9.106 lbmass
20	J-bolts	Stainless Steel, 304	001074	2	0.181 lbmass
21	FlexFlo-S45 Cap Seal	UHMW, White	001042	1	0.503 lbmass
22	FlexFlo-S45 EndCap	Steel, Mild	001040	1	1.305 lbmass
23	Hand Valve	Aluminum	MMV-L3QD (Clippard)	1	0.536 lbmass
24	Air Gauge (15 PSI)	Aluminum	102D-158B (PIC Gauges)	1	0.162 lbmass
25	Regulator (30 PSI)	Aluminum	AR20-N02-1Z (SMC)	1	0.527 lbmass
26	Spout Seal	Rubber		1	0.209 lbmass
27	RCN (8in)	Rubber		1	1.415 lbmass
28	FSC Gear Reducer 5.16:1	Steel, Mild	7107081L	1	65.806 lbmass
29	3HP TEFC 480/3/60	Steel, Mild	131503	1	303.487 lbmass
30	S45 34x34 Hopper (5.1 CuFT)	Steel, Mild	006351	1	157.002 lbmass
31	Hitchpin, w/ Hairpin Clip	Steel, Mild	00233 (Double HH)	3	1.146 lbmass
32	Rice Lake Floor Scale (4x5HP-5K)	Steel, Mild	66314	1	0.000 lbmass
33	Grate for Hopper	Stainless Steel, 304		1	11.220 lbmass

34	Hex Bolt	Steel, Mild	HB-1/2-13 UNC-2-CS	4	0.163 lbmass
35	Hex Bolt	Steel, Mild	HB-5/16-18 UNC-1-CS	16	0.036 lbmass
36	Hex Bolt	Steel, Mild	HB-7/16-14 UNC-3.5-CS	4	0.186 lbmass
37	Hex Bolt	Steel, Mild	HB-1/2-13 UNC-1.5-CS	5	0.134 lbmass
38	Hex Bolt	Steel, Mild	HB-3/4-10 UNC-2-CS	6	0.413 lbmass
39	Washer	Steel, Mild	FW-1/2-CS	10	0.029 lbmass
40	Washer	Steel, Mild	FW-5/16-CS	32	0.009 lbmass
41	Washer	Steel, Mild	FW-7/16-CS	8	0.015 lbmass
42	Washer	Stainless Steel, 304	FW-3/8-S4	2	0.012 lbmass
43	Lock Washer	Steel, Mild	LW-1/2-CS	8	0.014 lbmass
44	Lock Nut	Steel, Mild	LN-5/16-18-CS	16	0.015 lbmass
45	Lock Nut	Stainless Steel, 304	LN-3/8-16-S4	2	0.022 lbmass
46	Lock Nut	Steel, Mild	LN-7/16-14-CS	4	0.038 lbmass
47	Lock Nut	Steel, Mild	LN-1/2-13-CS	2	0.050 lbmass
				Total Estimate	1575.747 lbmass
				appx	714.7 Kg

ITEMS TO SHIP LOOSE FOR THIS PROJECT

- 1 **Bench Scale** - Rice Lake BENCHMARK BM2424S 24" x 24" x 5-1/4" 300lb Capacity.
- 1 **Column/Stand** - 18 Inch SST Kit
- 1 **Digital Indicator** - Rice Lake 482 Legend 1.0 962.00 LCD Display,
Rechargeable Battery with 115VAC NEMA 5-15 Plug Stainless Steel Enclosure

Project #		20892		FormPak Inc. Meeting Your Materials Handling Needs Since 1968				
Client		Harp Renewables						
Designed By		Rob K		Drawing Name 2100-SS FlexFlo 45				
Date		1/7/2021						
Checked				Size	Scale	Drawing Number	006349	Revision
Checked Date				B	Sheet 3 of 3			